

Notice of Allowability	Application No.	Applicant(s)
	10/655,022	MIZUSHIMA ET AL
	Examiner	Art Unit
	Ron E Pompey	2812

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTO-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

- This communication is responsive to 9-05-03.
- The allowed claim(s) is/are 17-21.
- The drawings filed on 05 September 2003 are accepted by the Examiner.
- Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - All
 - Some
 - None
 - Certified copies of the priority documents have been received.
 - Certified copies of the priority documents have been received in Application No. 09/564,191.
 - Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
- Certified copies not received: _____.
- Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application) since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.76.
 - The translation of the foreign language provisional application has been received.
- Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121 since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. **THIS THREE-MONTH PERIOD IS NOT EXTENDABLE**

- A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
- CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - hereto or 2) to Paper No. _____
 - including changes required by the proposed drawing correction filed _____, which has been approved by the Examiner.
 - including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No. _____

Identifying Indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the margin according to 37 CFR 1.121(d).

- DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

<input checked="" type="checkbox"/> Notice of References Cited (PTO-892)	<input type="checkbox"/> Notice of Informal Patent Application (PTO-152)
<input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)	<input type="checkbox"/> Interview Summary (PTO-413), Paper No. _____
<input checked="" type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No. _____	<input checked="" type="checkbox"/> Examiner's Amendment/Comment
<input checked="" type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit of Biological Material	<input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance
	<input type="checkbox"/> Other

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

Cancel claim 18.

Allowable Subject Matter

2. Claims 17 and 19-21 are allowed.
3. The following is an examiner's statement of reasons for allowance: the prior art of record, either singly or in combination, fails to disclose the limitations of:

Selectively depositing on only the exposed region of the main surface of the semiconductor substrate a conductive film containing germanium or made of silicon carbide;

Depositing a silicon film on said conductive film of said region, wherein the said silicon film is a single crystalline film having a dislocation density of at least 10^8cm^{-2} ; and

Forming source/drain regions by implanting and diffusing an impurity into the main surface of said semiconductor substrate through said conductive film and said silicon film deposited on the conductive film.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Ron E Pompey whose telephone number is (571) 272-1680. The examiner can normally be reached on flex schedule.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John Niebling can be reached on (703) 308-3325. The fax phone number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0956.

Ron Pompey
Ron Pompey
Art Unit: 2812
December 15, 2003

John F. Niebling
John F. Niebling
Supervisory Patent Examiner
Technology Center 2800